

ABN 43 064 478 842

231 osborne avenue clayton south, vic 3169 PO box 1548, clayton south, vic 3169 t 03 9265 7400 f 03 9558 0875 freecall 1800 680 680

www.tmgtestequipment.com.au

# Test & Measurement

- sales
- rentals
- calibration
- repair
- disposal

### **Complimentary Reference Material**


This PDF has been made available as a complimentary service for you to assist in evaluating this model for your testing requirements.

TMG offers a wide range of test equipment solutions, from renting short to long term, buying refurbished and purchasing new. Financing options, such as Financial Rental, and Leasing are also available on application.

TMG will assist if you are unsure whether this model will suit your requirements.

Call TMG if you need to organise repair and/or calibrate your unit.

If you click on the "Click-to-Call" logo below, you can all us for FREE!




### Disclaimer:

All trademarks appearing within this PDF are trademarks of their respective owners.









UDEYRAJ ELECTRICALS PRIVATE LIMITED

### RESISTANCE TESTER [LINE LOOP CONTACT]

(Fully automatic 100A DC, LCD display MRL - 11)

Introduction: Measuring the line loop contact resistance by bridges is not the ideal method as the test current is only a few milli amperes. Thus the value is not the true value of the contact resistance. Model MRL-11 is a direct reading tester, and uses a test current of 100A DC, resulting in true value and accurate measurements. Model MRL-11' adopts digital circuit technique and is used for measuring contact resistance of switch control equipments at test current of 100A DC. The measurements are accurate as the test is highly stable. 'UDEY' MRL-11 is a new, fully automatic micro controlled tester that measures contact resistance at 100A DC with built in printer.

MRL-11 is micro controller operated user friendly, accurate, reliable, small, light weight and reliable tester. MRL-11 incorporates a large LCD screen for display of menu and results. The results are printed on built-in printer after the test is over. MRL-11 incorporates breakthrough technology and design that gives accurate and reliable results, again and again. RS 232 link is also provided.

### The advantages of MRL-11

- Automatic measure of contact resistance in 3 seconds
- True 4 terminal measurement: High accuracy. No lead compensation required
- Test results saved automatically
- Recall and print last 100 test results
- Prints results on built-in printer

### Safety Features

• Fuse protection for line short circuit

## ORDERING INFORMATION MRI -11

Specification subject to change due to constant up gradation

Description: UDEY MRL-11 is a new generation, fully automatic, 4 terminal line loop contact resistance tester. The entire test is done automatically and quickly. MRL-11 takes over; powers up the test current, takes the readings and displays the results on the LCD screen. Prints test results through its built-in printer. Test results can be saved in memory and can be recalled later. True portability is achieved by the lightweight (only 10 kg), single unit design housing the MRL-11. The MRL-11 is encased in an aluminum alloy cabinet.

Principle: Current of 100A DC is passed in the contact and voltage drop across the contacts is sensed, processed and the resistance is displayed on screen. MRL-11 is micro controller operated user friendly, accurate, reliable, small, light weight and reliable tester. MRL-11 incorporates a large LCD screen for display of menu and results. The results are printed on built-in printer. MRL-11 incorporates breakthrough technology and design that gives accurate and reliable results, again and again. A true four terminal measurement is used to eliminate the need for lead resistance compensation.

#### Features

- Micro-controller operated
- Front panel with legend
- Built-in printer
- Can re call stored last 100 tests results.
- Weight: 10 kg





#### Applications:

- Measure rotating machine contact resistance
- Measure breaker element resistance
- Measure resistance of bus bar joints
- Locate poor connections

### Specifications:

- Power supply: 220V±10%, AC 50 Hz. (120V±10% against order)
- Measuring range: 0to1999.9 μΩ
- Resolution: 0.1 μΩ
- Test current: ≥ 100A DC
- Measurement accuracy: 0.5 class
- Display: LCD
- Memory: Stores 100 test results.
- Printer: Built in printer.
- Usage environment:
  40° C.
  85% R.H.
- · Accessories:
  - Bag
  - Mains cord.
  - Flexible testing cable set with alligator clamps, 8 meter long.
  - Operating Manual.
  - · Calibration certificate.
- Dimensions: MRL-11: 37(L)x26.5(W)x22.5(H) cm
- Transport case 37(L) x 28(W) x 12.5(H) cm
- Weight: MRL-11: 9.5 kg.
- Accessories Bag: 7.5 kg.





### **UDEYRAJ ELECTRICALS PRIVATE LIMITED**

212-A, Hind Saurashtra Indl. Est., Marol Naka, 85/86 M.V.Road, Mumbai-400 059. INDIA Tel: + 91 22 6691 6181 Fax: + 91 22 6694 2787 E-mail: udeyraj@vsnl.com Website: www.udeyraj.com